

2014 大学院 工学研究科 化学工学専攻

)





Kyoto University Department of Chemical Engineering

修士課程教育目標

京都大学大学院工学研究科化学工学専攻では,化学産業のみならず,電子産業 などを含む基幹産業の構造改革や社会・経済の変化に対応できる学術基盤の構築 とそれを支える幅広い視野と総合的な判断力を備えた人材および専門研究者・学 際的人材を養成することを目標に教育を行っている。さらに,世界的な学術研究 の拠点,研究者養成の中核的機関としての位置付けを目指している。そのために, 既存専攻の充実に加えて京都大学工学研究科高等研究院などとの共同研究を通じ て,複合的学域の創出・深化に携わる研究者の養成を図っている。

学部課程教育目標

京都大学工学部工業化学科化学プロセス工学コースでは,化学工学の知識・技 法の教授を基軸とし,最先端を見据えた高度な専門教育を実践している。また, 社会的要請に迅速に対応した先進的な教育を積極的に取り入れ,次世代を担う人 材の育成に力を注いでいる。さらに,総合大学の利点を生かし,学際的な知識の 取得と認識を深め,国際舞台で活躍できる能力および課題探求能力を持つ人材, 大学院に進学し得る基礎的学力を有する人材を育成している。

化学プロセス工学コースへの招待

化学プロセス工学コース/化学工学専攻では、化学を基礎に、共通性のある現 象・操作をまとめあげ、定量的に考察することを通して、さまざまな生産装置や、 その集合体としての生産プロセスをデザインするための理論と技術を学びます。こ れらは、対象とする系のスケールや物質種を超えて応用できる学問体系なので、卒 業生は、ナノ材料・機能材料からエネルギー・地球環境にわたる広範な課題を解決 できる能力を身につけ、幅広い業種で社会に貢献しています。あなたもその仲間に 加わりませんか?





•

•

•

•

•

•

•

•

•

Kyoto University Department of Chemical Engineering

目次

Kyoto

概要	2
沿革	2
広域アクセス	4
教員・研究室	5
化学工学基礎講座	
移動現象論分野	6
界面制御工学分野	8
反応工学分野	10
化学システム工学講座	
分離工学分野	12
エネルギープロセス工学分野	F -
材料プロセス工学分野	14
プロセスシステム工学分野	16
環境プロセス工学講座	18
化学システム工学講座	
粒子工学分野	20
環境安全工学講座	22
(環境科学センター)	
非常勤講師	23
技術職員	24
資料	
カリキュラム	25
学生の進路	27
国際交流	28
名誉教授	30
人員構成	30
キャンパスマップ&アクセス	31

CONTENTS

Outline	3
Location & History	3
Access to Kyoto	4
People & Research	5
Transport Phenomena	7
Surface Control Engineering	9
Chemical Reaction Engineering	11
Separation Engineering	13
Energy Process Engineering	
Materials Process Engineering	15
Process Control and Process Systems Engineering	17
Environmental Process Engineering	19
Particle Technology	21
Environment and Safety Engineering (Environment Preservation Research Center)	22
Invited lecturers	23
Technical staff	24
Facts	
Curriculum	26
Career options	27
International activities	29
Professors emeriti	30
Constituent numbers	30
Campus maps & access to campuses	31

概要

沿革

京都大学化学工学教室の歴史は,昭和15年4 月1日,京都帝国大学工学部に化学機械学科が 設立されたのに始まる。化学機械学科は、当初2 つの講座で発足したが,翌16年に講座数3,17年 には講座数4に拡大された。昭和36年に講座数は 6つとなり、名称も化学工学科と変更された。拡散 系単位操作講座,化学工学熱力学講座,反応工 学講座, 機械系単位操作講座, 輸送現象論講座, 装置制御工学講座の各講座が置かれ,工学研究 所にも化学工学研究部門が置かれていた。学部 学生定員は40名に拡充された。昭和44年に装置 工学講座が設置され、講座数は7となった。昭和 61年には工学部付属施設として重質炭素資源転 換工学実験施設が置かれ,また平成3年には生 物化学工学講座が設置され,化学工学教室は8 つの講座に2つの関連講座を加えた体制となり、 学部学生定員も54名に拡大された。

平成5年4月,工学部の先陣として化学系学科 の改組が実施されたのにともない,化学工学科は 2つの基幹大講座(7分野)と1つの大学院専任講 座を有する工学研究科化学工学専攻に衣替えさ れた。化学系の学部課程は工業化学科3コースに 統合された。学部学生は2年次後期から各コース での教育を受け,化学工学専攻の教員は主に化 学プロセス工学コース(42名)の教育を担当してい る。化学工学専攻の学年定員は,修士課程31名, 博士後期課程9名であり,主に化学プロセス工学 コースの学生が進学する。

平成8年に原子エネルギー研究所(旧工学研 究所)がエネルギー理工学研究所に改組され,原 子核化学工学研究部門は新設のエネルギー科学 研究科の協力講座となった。平成19年より環境保 全センター(現環境科学センター)に協力講座とし て環境安全工学講座が設置された。平成22年に は産学連携センター(旧国際融合創造センター) に置かれていた協力講座が廃止され,化学システ ム工学講座粒子工学分野が新設された。現在, 化学工学専攻は9つの基幹・専任分野と1つの協 力分野で構成されている。

平成15年に,吉田キャンパスから11km,京都 駅から7km,桂駅から2kmの距離に新キャンパ スの桂キャンパスが開かれ,化学系,電気系専攻 が第一陣として移転した。現在,化学工学専攻は 桂キャンパスにあり,平成16年の国立大学法人へ の移行も新キャンパスで迎えた。

現在,2500名を超える本教室の卒業生・修了生 が化学工業を中心に活躍しており、本教室は名実 ともに我が国有数の化学工学教室となっている。



1922	工業化学科化学機械学講座設置
1940	化学機械学科設置
1949	「化学機械の理論と計算」出版
1953	新制大学院設置
1955	新制大学院博士課程設置
1961	化学工学科に改組
1963	吉田キャンパス西部構内から
$\sim \! 1968$	本部構内の工化総合館に移転
1993	大学院重点化,化学系改組
2003	桂キャンパスへ移転

Location

The Department of Chemical Engineering is located on the Katsura Campus which is the newest of the three campuses of Kyoto University. Katsura Campus, opened in 2003, is located in the western part of Kyoto City. Kyoto, at the center of Honshu Island, can be accessed from Kansai International Airport within two hours. The campus is seven kilometers from Kyoto Station and two kilometers from Katsura Station. The majority of the Department is located in Building A4, but the Department also has laboratories, lecture rooms, and other facilities in Building A2.

History

The Department of Chemical Engineering, Kyoto University, was founded on April 1, 1940, as one of the first chemical engineering departments in Japan. The number of Kozas (chairs or laboratories) was only two in the beginning but increased to three in 1941, four in 1942, and six in 1961, which were devoted to Diffusion Controlled Unit Operations, Chemical Engineering Thermodynamics, Chemical Reaction Engineering, Mechanical Unit Operations, Transport Phenomena, and Process Control.

In 1993, the Faculty of Engineering reorganized their departments for the purpose of intensification of the graduate school. The Department became composed of eight Kozas and one cooperating Koza. The Research Laboratory of Carbonaceous Resources Conversion Technology founded in 1986 merged with the Department in 1996. After these consecutive reorganizations, the Department presently consists of nine Kozas and one cooperating Koza that belongs to the Environment Preservation Research Center, Kyoto University.

"Koza" is a small subdivision of the department. Each Koza usually has one full professor, one associate professor, and one assistant professor, and specializes in a particular research area as shown in the following pages.

Since the reorganization in 1993, six chemistryrelated departments have provided a unified fouryear undergraduate program under the name of the Undergraduate School of Industrial Chemistry. Students of the School choose one of three courses at the middle of the second year. The Department



Number of graduates of the Department 学部課程卒業者·修士課程修了者数累計

of Chemical Engineering takes charge of the education of the Undergraduate Course Program of Chemical Process Engineering. The Course produces around 42 B. Eng.'s every year.

The Department has graduate programs leading to M. Eng. and D. Eng. degrees. Requirements for M. Eng. are 22 credits of course work and a research thesis. An original research thesis compiling more than three year research during the graduate program is a part of the D. Eng. requirements. Every year, the Department sends out 31 or more M. Eng.'s and several D. Eng.'s.

Most of more than 2500 alumni of the Department are presently playing active parts in various industries including chemical industries, and the Department is recognized as one of the best and largest chemical engineering departments in Japan.





教員・研究室

PEOPLE & RESEARCH

化学工学専攻は1つの専任講座と2つの基幹 大講座ならびに1つの協力講座で構成されている。

専任講座

環境プロセス工学講座(8講座)

基幹講座

化学工学基礎講座 移動現象論分野(1講座) 界面制御工学分野(2講座) 反応工学分野(3講座)

化学システム工学講座 分離工学分野(4講座) エネルギープロセス工学分野(5講座) 材料プロセス工学分野(6講座) プロセスシステム工学分野(7講座) 粒子工学分野(9講座)

協力講座

環境安全工学講座(10講座) (京都大学環境科学センター)







The Department consists of the following 10 Kozas (laboratories and chairs):

- 1. Transport Phenomena
- 2. Surface Control Engineering
- 3. Chemical Reaction Engineering
- 4. Separation Engineering
- 5. Energy Process Engineering
- 6. Materials Process Engineering
- 7. Process Control and Process Systems Engineering
- 8. Environmental Process Engineering
- 9. Particle Technology
- 10. Environment and Safety Engineering (Environment Preservation Research Center)

Kozas 1, 2, and 3 compose the Chair of Chemical Engineering Fundamentals, while Kozas 4, 5, 6, 7, and 9 compose the Chair of Chemical Systems Engineering. Koza 8 is a chair by itself. Koza 10 is a cooperating chair that belongs to the Environment Preservation Research Center, Kyoto University.

移動現象論分野





Prof. R. Yamamoto ryoichi@cheme.kyoto-u.ac.jp

准教授 谷口 貴志

Assoc. Prof. T. Taniguchi taniguch@cheme.kyoto-u.ac.jp

本研究室では、複雑流体やソフトマターについ て、主に計算機シミュレーションを用いた研究を行 ってきた。最近ではその対象を微生物や生体膜な どの生物系に広げている。シミュレーション手法と しては、微視的モデルを用いた分子シミュレーショ ンがよく知られているが、我々が扱う複雑な研究対 象では、広い空間・時間スケールに及ぶメソ〜マク ロスケールの現象に注目する場合が多く、微視的 な分子シミュレーションでは有効なシミュレーション を行うことが困難である。このように複雑な系に対 して有効なシミュレーションを行うためには大胆な 工夫が不可欠であり、我々は、統計力学や流体力 学をベースとした視点から、理論的手法を駆使し てこの問題の解決に取り組んでいる。

1. コロイド分散系の直接数値シミュレーション

我々はコロイド分散系に対して有効なメソスケー ルのシミュレーション手法を開発し、KAPSEL [http://www-tph.cheme.kyoto-u.ac.jp/kapsel/] と して一般公開した。その後、理論的な解析の難し かった荷電コロイド系の電気泳動、レイノルズ数が 高い領域 (Re \leq 1,000) での粒子運動、溶媒に圧 縮性がある場合の粒子間の運動量輸送などの諸 問題に応用できるように拡張し、我々自身もそれら の系の基礎研究に取り組んで大きな成果を挙げ た。最近では、バクテリアやクラミドモナスなどの水 中を自己泳動する微生物の運動にも研究対象を 広げ、それらを模した自己推進粒子の直接数値シ ミュレーションを精力的に行っている(図1)。

我々はコロイド分散系に対して有効なメソスケー ルのシミュレーション手法を開発し,KAPSEL [http://www-tph.cheme.kyoto-u.ac.jp/kapsel/] と して一般公開した。その後,その方法を理論的な 解析の難しかった荷電コロイド系の電気泳動や, 泳動する微生物を模した自己推進粒子のダイナミ クスに応用して大きな成果を挙げている。(図1)

2. 脂質膜ベシクルのダイナミクスの研究

近年, 膜の局所組成などの膜面内部の自由度 や, 膜上や膜外の流体力学効果が膜変形に及ぼ す影響に興味が注がれている。これは近年の実験 手法の向上により人工的に作られたモデル膜の膜 変形ダイナミクスが直接観察できるようになってき た為と膜変形の物理機構が明らかとなればドラッ グデリバリーなどへ応用が期待できる為である。 我々は, 膜変形と膜上相分離を扱える熱力学モ デルの構築, さらに膜上での脂質拡散と膜内外の 流体力学効果を考慮したシミュレーション手法の 開発に取り組んでいる(図2)。

3. 生体組織の物理モデリング

物理学や化学では様々な成功を納めて来た計 算科学であるが、再生医療などの医学・生物学の 最先端の問題への応用についてはまだまだ歯が 立たない。しかし、そう遠くない未来にこれを実現 できるよう、計算科学のフロンティアを前進させるこ とに意義がある。我々は先駆的な試みを開始して おり、最終的には細胞分裂より長い時間スケール で起こる生体組織の成長や変形という問題に挑戦 する計画である。ここでは細胞分裂という通常の物 質にはないアクティブなプロセスのモデリングが鍵 であるが、最近Newmanらが提案したScEMというユ ニークな粒子モデルが有効であると考えて、試験 的な計算を開始したところである(図3)。

Transport Phenomena

Professor Ryoichi Yamamoto Assoc. Professor Takashi Taniguchi

We have been working on developing methods of computational modeling for complex fluids and soft matters. Recently, we are extending our research targets towards more biology related systems such as living microorganisms and membranes. Microscopic molecular simulations (MS) have widely been used for modeling conventional materials, however, MS tend to require enormous computation time for performing meaningful simulations of complex fluids and soft matters because meso- or macro-scale phenomena are of particular interest often for them. We thus aim to develop unique and new methodologies useful for soft matters and biological systems based on advanced theoretical approaches.

1. Direct numerical simulations (DNS) for colloidal dispersions

We have developed a unique mesoscale method for simulating colloidal dispersions. Our program has been released as a colloid simulator KAPSEL, which enables us to perform successful DNS simulations for neutral and charged colloidal dispersions. We have applied this method to analyze the dynamics of self-propelled particles for a schematic model of micro-organisms. (See Fig. 1).



Fig. 1. Our numerical representation of two swimming bacteria each composed of a spherical head and a rotating helical tail.

図1. 我々の数値モデルによる水中を泳動する2個体のバク テリア。それぞれ球形の頭部と回転するらせん状の尾部で構成されている。

2. Dynamics of vesicles

Recently, an increasing attention has been paid to the effect of hydrodynamics and dynamics of internal degree of freedom in membranes such as local lipid composition of membrane that influences their shape, because recent advances in experimental techniques enable us to perform direct observations of bio-membrane shape, and to reveal physical mechanisms of deformation of vesicle is considered to bring us a development in drug delivery application. We investigate shape changes of vesicles under a phase separation of constituent lipids and a hydrodynamic flow. We also address to develop a new numerical method which can describe diffusion and hydro-dynamic flow of lipid on the membrane. (See Fig. 2). •

•

•

....

....

....

...

...

•

•••

•••

....

•••

•••

•

•

•

•••

•••

•••



Fig. 2. Shape change of a vesicle in a narrow channel under a flow induced by a pressure gradient.

図2. 赤血球形のベシクルが細い流路中を圧力差によって流され ながら変形する様子を格子ボルツマン法を用いて計算した結果

3. Physical modeling of biological tissue

Application of computational modeling to advanced fields in biological or medical science, such as regenerative medicine, is a big challenge. We believe that pushing forward the frontier of computational science toward this direction is meaningful. We have started a new project on developing a physical model for growing or deforming biological tissue, which includes active processes like cell division. We start our research project with performing tentative simulations of dividing celles by using a particle based model called sub cellar element model (ScEM) proposed by Prof. Newman (See Fig. 3).



Fig. 3. 3D simulation of dividing cells using ScEM. Courtesy of Prof. Koumoutsakos.

図3. ScEMを用いた分裂する細胞の3次元シミュレーション(Prof. Koumoutsakosの厚意による)。

界面制御工学分野



教授 宮原 稔

Prof. M. Miyahara miyahara@cheme.kyoto-u.ac.jp



講師 田中 秀樹

Lecturer H. Tanaka tanaka@cheme.kyoto-u.ac.jp



助教 渡邉 哲

Assist. Prof. S. Watanabe nabe@cheme.kyoto-u.ac.jp



助教 丸山 博之

Assist. Prof. H. Maruyama Hiroyuki.Maruyama @cheme.kyoto-u.ac.jp

ナノスケール拘束空間の工学 -構造制御を目指した界面場の積極利用-

化学工学の目的が「組成制御」から「構造制御」 に向けて発展すべき現在,工学基礎としてまず求 められるのは,[相互作用集団]×[外場]=[構造 制御]の方程式であろう。つまり,相互作用を及ぼ し合う要素一例えば分子やナノ粒子など一の集団 が,ナノ空間や固体基板上などの外的ポテンシャ ルエネルギー場におかれたときに,どのように相転 移や構造化を生じるのか、といった現象を、見出し、 そして理解し、さらにはそのメカニズムを定量的に モデル化することが求められる。

当分野では、このような広義の「界面」における 「外場」の積極利用に着目して、その効果が強調 されるナノスケール空間を舞台に、その場特有の 分子/イオン/ナノ粒子の挙動と構造について、 分子・粒子シミュレーションと実験を併用した解析・ モデル化に取り組んでおり、界面と構造の関わる 化学工学基礎の体系化を目指すとともに、機能材 創製と界面利用各種デバイスへの応用を視野に 研究している。研究テーマ概要を以下に紹介する。

1. ナノ空間内での相転移現象の分子シミュレー ション,モデル化およびナノ細孔評価

MCM-41や均質ナノ多孔性炭素など,ナノ空間 材料の開発がめざましい。その応用展開には,ナ ノ空間場での分子集団相挙動の理解が重要であ る。気液,固液,固気転移などを対象に,相挙動 を分子レベルで解析し,現象を予測可能な工学的 モデルを確立するとともに,N2やAr吸着によるナノ 細孔評価法の飛躍的な精度向上に取り組む。

2. 柔軟ナノ多孔体の吸着誘起構造転移の解明

結晶性多孔体がその骨格構造を転移させること でステップ的な吸脱着を示す「柔軟な」多孔体が, 特に,金属-有機配位子錯体(MOF)材料に見られ, 分離材/吸蔵材として期待される。分子論的アプ ローチを駆使してその起源と機構の定量的解明を 図り,合理的材料設計の指針確立を目指す。

3. ナノ粒子による外場での自発的構造形成

広義のナノ粒子(<100 nm)の配位構造を制御し た構造形成によって,種々の機能性材料の創製 が期待される。基板引力による吸着場,基板上を 濡らす液膜場を外場として利用する集積法を対 象に,操作因子と生成構造との因果関係を実験 的・解析的に検討し,秩序構造形成過程の理解 とモデル化に取り組む。

4. マイクロおよびナノリアクタによる機能粒子創製

機能性材料創製の鍵は,構造の元となる微粒 子の核生成過程の制御にある。マイクロ流路の強 混合場やデンドリマ等のナノ空間を反応場に活用 し,核発生などの素過程について,実験及びシミ ュレーションの両面からの研究を展開する。

Surface Control Engineering

Professor Minoru Miyahara Lecturer Hideki Tanaka Assist. Professor Satoshi Watanabe Assist. Professor Hiroyuki Maruyama

Engineering for Nanoscale Confined Space —Active use of interface for structure control—

For the present-day chemical engineering, which changes its purpose from "composition control" to "structure/function control", firstly needed would be an equation, [interacting elements] x [external field] = [controlled structure]: The interacting elements such as molecules, ions and nanoparticles often exhibit peculiar behavior when placed within external potential fields of, e.g., nanospaces and solid substrates. Their structure evolution and/or phase transitions should thus be observed carefully, understood physically, and modeled quantitatively for active use of external fields originating from interfaces for controlling the structures.

Concerning nano- and submicron-scale, which enhances the interfacial effect, the researchers in this laboratory devote their efforts to the following research subjects, aiming at systematic understanding and contribution to chemical engineering fundamentals, which would stand for potential applications to production of functional materials and various devices utilizing interfaces.

1. Simulation and modeling of phase behavior in nanospace, and nanopore characterization

Recent advance in nano-spaced materials has been producing fascinating porous media such as MCM-41 and controlled nanoporous carbons. For appropriate and extensive applications of these





図1. ゼオライト型フレームワーク構造を持つイミダゾール配 位錯体 (ZIF-8) での吸着に誘起される構造相転移 new media, the understanding of phase behavior of confined fluids in nanopores is quite important. Exploration by molecular simulation is conducted not only for phase transitions in single-component systems, but also for binary systems. Thus obtained microscopic understandings are to be sublimated as engineering models to predict the phase behavior, and to be used for nanopore characterization.

•

•

••

••

•

...

•

•

•

•

2. Mechanism of lattice transition of compliant crystals

As typically seen in metal-organic frameworks, compliant crystals exhibit stepwise uptake of guest molecules upon its lattice transition, which has potential application in separation and storage. Extensive molecular simulations together with freeenergy analysis yield valuable insights into the complicated phenomenon, which will provide possible strategy for designing and applying these materials.

3. Spontaneous structure evolution by nanoparticles under external field

Ordered structures made up by 100 nm or smaller particles, or nanoparticles in the broad sense, can exhibit unique functions. The relation between operating condition and evolved structure is investigated experimentally, with the aid of the analysis by Brownian dynamics technique, which should be, in general, applied more for engineering purposes to fill the gap between microscopic analysis and macroscopic operating conditions.

Production of functional particles by micro- and nano-reactors

The key issue for efficient production of functional particles would firstly be the control of their nucleation processes, which must determine subsequently formed higher-order structure. Extensive mixing in microchannels and confinement in nano-reactors such as dendrimers will give basic insight for optimal external field for targeted materials.



- Fig. 2. Grid pattern formation of gold nanoparticles in wetting liquid film by evaporation-induced self-organization process.
- 図2. 金ナノ粒子の自己組織化を利用して作製した格子状 配列構造の光学像とAFM像

反応工学分野



教授 河瀬 元明

Prof. M. Kawase kawase@cheme.kyoto-u.ac.jp



助教 蘆田 隆一

Assist. Prof. R. Ashida ashida@cheme.kyoto-u.ac.jp



助教 井上 元

Assist. Prof. G. Inoue ginoue@cheme.kyoto-u.ac.jp

当分野では、材料合成プロセスや電気化学プロ セスなどの反応工学的モデリングについて研究す るとともに、反応プロセス、反応機構や化学構造の 理解に基づいて、新規な機能性材料や材料製造 プロセス、エネルギー生産に関する新たな反応プ ロセスの開発を行っている。

1. 機能性材料の開発と材料製造プロセスの開発

材料合成プロセスでは反応生成物が最終製品 となるため、製品の形状、質、物性、機能を反応プ ロセスで作らねばならない。速度論的に構造を予 測する新理論体系を目指して研究を進めている。

化学気相成長法 (CVD法) は気体原料から固 体製品を合成する反応法である。熱CVDによる熱 分解炭素の成長やプラズマCVDによる高ガスバリ アシリカ膜の製造についてモデリングを行っている。 2. 電気化学プロセスへの反応工学の展開

(1) 固体高分子形水素燃料電池(PEFC)

PEFCは電気化学反応に加えて物質・エネルギー輸送,蒸発,凝縮,収着,ジュール熱などの多種の現象が進む複雑なプロセスである。これらすべてを考慮する反応工学的モデルの確立を目指し,とくにセル内の温度分布,湿度分布,電極内の電位分布に着目した研究を進めている。

さらに、複雑な多孔質電極の内部構造と、酸素、 プロトン、電子の輸送性能の相関、また成形プロセ スの影響を、X線CTやFIB-SEMなどのナノスケー ル三次元再構築手法と数値シミュレーションにより 検証し、最適電極構造の開発に取り組んでいる。

(2) スーパーキャパシター

電気二重層キャパシター(EDLC)では,構造化 電極を提案して大電流化とセル容量の向上を目 指している。比較的現象が単純なため,電気化学 プロセスのモデリング手法開発にも有用である。

(3) 有機電解合成(EOS)

電気化学反応を利用した高選択的物質生産プロセスの開発に取り組んでいる。

3. 低品位炭素資源の高効率転換法の開発

化石資源の枯渇が懸念される中,未利用低品 位炭素資源(褐炭,重質油,バイオマス廃棄物 等)の高効率アップグレーディング技術の開発が 世界的な課題となっている。低品位炭素資源を効 率的にエネルギー源や有用化学物質に転換する 反応プロセスの開発に取り組んでいる。

4. 複雑反応プロ セスのモデリング

エチレン炉での コーキングによるフ ァウリング現象のモ デリング,本質的 に非定常操作され る自動媒コンバー ターでの複合反応 の反応モデリング など,複雑反応系 のモデリングにも 取り組んでいる。



図1. プラズマCVDチャンバー Fig. 1. Plasma CVD chamber.

Chemical Reaction Engineering

Professor Motoaki Kawase Assist. Professor Ryuichi Ashida Assist. Professor Gen Inoue

The research in this chair is focused on modeling of functional materials production processes, electrochemical processes, coal conversion processes, etc. We aim to propose new reaction processes and materials based on understandings of the chemical structures, reactions, and processes.

1. Development of novel functional materials and materials production processes

Since the reaction product is the final product in the functional materials production processes, the shape, quality, properties, and functions of the product should be prepared and controlled in the reaction processes. We aim to build theories to predict the microstructure of solid products in the materials production processes.

Reactions in which a solid product is formed from gaseous reactants are called chemical vapor deposition (CVD). We are studying the thermal CVD of pyrocarbon as well as plasma CVD of silica for gas barrier, and the reaction modeling predicting the growth rate and the product microstructure.



Fig. 2. Hydrogen PEFC apparatus & MEA for measuring PEM temperature.

図2. 水素 PEFC 実験装置と測温用 MEA



- Fig. 3. Carbon fiber prepared through solvent treatment of rice straw under mild conditions.
- 図3. 穏和な溶剤処理による改質を利用して稲わらから製造 した炭素繊維

2. Extension of CRE to electrochemical processes

(1) Polymer electrolyte fuel cell (PEFC)

In PEFC, various phenomena including mass and energy transport, evaporation, condensation, sorption, Joule heating, besides electrochemical reactions, take place. We aim to build a comprehensive CRE model of PEFC. The temperature and humidity profile in the cell as well as the potential distribution in the gas diffusion electrode is being intensively examined.

•

•

•

•

Relationship between heterogeneous structure of porous electrode and transport performance of oxygen, proton, and electron as well as the effect of fabrication process is also being studied by X-ray CT, FIB-SEM, and numerical simulation for aiming to develop the optimal electrode structure.

(2) Electric double layer capacitor (EDLC)

EDLC supercapacitor is needed for high current density applications. We proposed some structured electrodes suitable for rapid discharge, improving the rate performance of the EDLC. Modeling of EDLC is also being studied.

(3) Electroorganic synthesis (EOS)

A new electrochemical process for organic synthesis is being developed for aiming to develop highly selective production processes.

3. Upgrading of low-grade carbonaceous resources

We have been developing novel reaction processes that can effectively upgrade and convert low-grade carbonaceous resources such as brown coals, heavy oils, and biomass wastes into highgrade fuels and valuable chemicals and materials.

4. CRE modeling of complex reaction processes

We are also studying the modeling of complex reactions including fouling of ethylene furnace due to coking as well as aftertreatment of automotive exhaust gas over a three-way catalyst.

12

分離工学分野







Prof. H. Tamon tamon@cheme.kyoto-u.ac.jp

准教授 佐野 紀彰

Assoc. Prof. N. Sano sano@cheme.kyoto-u.ac.jp



給木 哲夫

suzuki@cheme.kyoto-u.ac.jp

当分野では多孔体, 焼結体, 粉体等の不均質 (多孔性) 固相中での熱及び物質の移動現象が関 与する,物質分離・精製手法の「操作・設計論」の 確立を目的とし,主に吸着操作,乾燥操作を対象 として以下のテーマで研究を行っている。

1. 吸着工学

(1) 凍結乾燥による無機/有機エアロゲルの調製 と吸着剤への応用

凍結乾燥ゆえに生成する特異な多孔体である エアロゲルを、シリカ系、カーボン系において調製 し、その吸着特性と微視的表面構造との因果関係 を検討する。

(2) 量子化学的手法に基づく固体表面の吸着構 造解析

分子軌道法を考慮した計算により, 種々の吸着 系における吸着分子と表面との吸着構造・吸着エ

ネルギー等の微視的知見を得ることで,吸着剤設 計開発指針の構築を目指している。

2. 分離用機能性材料の合成

(1) 多孔質材料のマイクロ成型体の創製

コロイド溶液を一方向凍結する際に生じる分 相及び氷の成長を材料のマイクロ成型に利用し, 分離用マイクロデバイスに利用可能な繊維状や マイクロハニカム状の多孔質材料の創製に取り 組んでいる。

(2) ナノカーボンの合成およびその応用開発

カーボンナノチューブやナノホーンなどを合 成し、それらを気体燃料の吸着・吸蔵や高度水 処理技術へ応用するための研究を行っている。

3. その他

(1) 誘電泳動による微粒子分離技術の開発

レアメタルの回収やナノ材料の高純度化を行 う方法として、不平等電界中の粒子の分極によ り発生する誘電泳動力を利用した微粒子分離技 術の開発を行っている。

(2) 糖ガラス状態に関する分子動力学シミュレー ション

アルコール等の添加が糖ガラス状態の安定性に及 ぼす影響に関して, 分子動力学法計算による検討を 行っている。



- 図1. ・方向凍結法を用いて作製した微細構造のSEM 写真:(a)ゼオライトハニカム多孔体, (b)ゼオライト 繊維, (c)チタニア繊維, (d)カーボンハニカム多孔 体の中にシリカハニカム多孔体を作製した構造
- Fig. 1. SEM images of microstructures fabricated by unidirectional freezing: (a) Zeolite honeycomb, (b) Zeolite fiber, (c) Titania fiber, (d) Silica honeycomb in carbon honeycomb.

助教

Assist. Prof. T. Suzuki

Separation Engineering

Professor Hajime Tamon Assoc. Professor Noriaki Sano Assist. Professor Tetsuo Suzuki

In Koza 4, researchers devote their efforts to establish methodologies for separation and purification operations that are tightly connected with solids with heterogeneous nature such as porous media, sintered materials and powders. Typical subjects of research include adsorption and drying, with emphasis on the understanding of equilibrium and dynamic nature of systems with solid surfaces and/or with confined spaces. In the following, current research activities are listed and explained briefly:

1. Adsorption Technology

(1) Preparation of organic/inorganic aerogel adsorbents by freeze drying

The peculiar nature of aerogels such as ultrahigh porosity and large surface area can be obtained through freeze drying. Both organic and inorganic aerogels are studied in the aspects of interrelation between adsorption characteristics and microscopic surface structure.

(2) Quantum chemical study on interaction between adsorbent and adsorbate

Applying molecular orbital theory to adsorption systems, microscopic information on interaction such as stable adsorption structure and interaction



- Fig. 2. TEM image of carbon nanohorns dispersed with Pd-Pt alloy nanopartices synthesized using arc discharge.
 図 2. アーク放電を利用して合成した Pd-Pt 合金ナノ粒子
- 図2.) 一少版電を利用して日成した Fu Fu 日金) ノ粒-分散カーボンナノホーンの透過顕微鏡写真

energy are studied to establish the strategy for designing and developing new adsorbents.

2. Synthesis of functional materials for separation

(1) Synthesis of porous materials with unique micromorphologies

We found that porous materials with unique micromorphologies, such as fibrous and honeycomb-like, can be synthesized by freezing colloidal solutions unidirectionally. We are using this new synthesis method to develop materials which have suitable characteristics for the usage in separation microdevices.

(2) Syntheses of nanocarbons and development of application

Nanocarbons, such as carbon nanotube, carbon nanohorns, etc., can be synthesized by hightemperature plasma and catalytic growth. We study on these syntheses and application of these materials for adsorption/absorption of fuel gas and for advanced water-purification method.

3. Other Researches

(1) Separation of micro-size particles by dielectrophoresis

Dielectrophoretic force generated by polarization of particles in non-uniform electric field is applied to separate small particles, aiming the separation of rare metals and the purification of nano materials.

(2) Molecular dynamic simulation on sugar glass

Molecular dynamic simulation has been conducted to evaluate the influence of additives (alcohol, etc) on the stability of sugar glass.



Fig. 3. SEM image of carbon nanotubes synthesized on surface of stainless steel electrodes at dielectrophoretic particle separator.

図 3. 誘電泳動粒子分離装置のステンレス電極表面に合成したカーボンナノチューブの SEM 像

材料プロセス工学分野



教授 大嶋 正裕

Prof. M. Ohshima oshima@cheme.kyoto-u.ac.jp

准教授 長嶺 信輔

Assoc. Prof. S. Nagamine nagamine@cheme.kyoto-u.ac.jp



助教 引間 悠太

Assist. Prof. Y. Hikima hikima@cheme.kyoto-u.ac.jp

美味しい料理を作るときに素材と調理法が大切 なように、高い光反射性、高い断熱性など、特殊な 機能をもった材料を作り出すためには、素材だけ ではなく、その加工法が重要になる。材料プロセス 工学研究室では、素材の特徴を活かした成形加 工法(料理の仕方)を、加工中の熱・物質の移動 量、材料の相変化、相模様を制御して開発し、世 の中にまだ存在しない機能をもつ材料を作り出す 研究を行っている。

1. ナノセルラーフォームの開発

従来の炭化水素系や HFC 系の発泡剤の代替 として二酸化炭素や窒素を使い,ナノオーダーの 微細な気泡径を持つ熱可塑性樹脂の発泡体を製 造する技術の確立を目指している。図1は,ポリプ ロピレンに結晶造核剤を添加し,窒素を発泡剤と して射出成形法により生成した発泡体の SEM 像



- 図 1. 結晶核剤を添加し,窒素を発泡剤としてコアバック式 射出発泡成形により作製した PP の発泡体の SEM 写 真 挿入図:気泡壁のファイバー状構造
- Fig. 1. SEM images of a polypropylene foam fabricated by N_2 foaming with a crystal nucleating agent using core-back injection molding. Inset: a magnified image of nanofibril structures on the cell wall.

である。マイクロスケールの気泡の壁にナノスケー ルのフィブリルが形成し, 連通孔となっていること が確認できる。吸音材への応用展開を進めている。

2. 低環境負荷のプラスチックへの無電解めっき

従来のプラスチックのめっき方法は触媒の素材 への付与のために強酸や水を多く必要とする。本 研究室では,超臨界二酸化炭素の溶媒和効果を 活かし,その工程を排除した環境負荷の低いプラ スチック部材の無電解めっき法を開発してきた。ポ リプロピレン(PP)や ABS といった疎水性の強い樹 脂に本手法を適用するために,親水性の共重合 体の混練による樹脂表面の改質を試みた(図 2)。

3. 静電紡糸法によるナノファイバーの作製

静電紡糸法とは高分子溶液に高電圧を印加し ファイバー化する技術である。当研究室では,静 電紡糸を利用した構造性ナノファイバーの作製を 行っている。図3は水溶性高分子であるPVAを原 料とし,炭化過程における界面活性剤の分解により 生じた塩を鋳型として作製した多孔質カーボンフ ァイバーのSEM像である。電気二重層キャパシタ 電極への応用について検討している。

4. 高分子成形体のオンライン物性評価法の開発

高分子成形体の物性や構造について非破壊・ 非侵襲でオンライン計測するための手法として近 赤外分光法を用いた手法を検討している。ポリ乳 酸成形体の近赤外吸収スペクトル(図4左)から、 これらを元にPLS回帰分析により含水率と結晶化 度の推定モデルを構築した(図4右)。

Materials Process Engineering

Professor Masahiro Ohshima Assoc. Professor Shinsuke Nagamine Assist. Professor Yuta Hikima

Modern society is deeply indebted to various materials for providing the several functional products to our life. Among those materials, macromolecules have the large potentials of giving rise to various functions, such as lightness, flexibility, elasticity, and fluidity. The material's functions are strongly related with the order of structures in the level from nano, micro to macro-scales. Employing the computer simulation and modern analyzer, our laboratory is developing new material processing technologies for creating new functional materials from macromolecules. Research and development mainly focus on controlling the material structures created by diffusion, phase separation, nucleation and growth and developing the optimal processing device for the control. Integration of supercritical fluid with present plastic processing technologies is one of our major interests of our research. Also, process development of marine biomass for clinical applications and inorganic materials for solar system are our interest. Latest research topics are nano-cellular polymer foaming, preparation of ceramic nanofibers and Chitin porous materials. Some of them are introduced here in this page:

1. Nanocellular Foam

In recent years, nanoscale, porous, structured polymer materials have attracted significant attention. We have been working on development of nanocellular foams (NCFs) of thermoplastic resins foamed by CO₂ or N₂ gas. Fig. 1 shows a polypropylene foam fabricated by N₂ foaming with a crystal nucleating agent using core-back injection molding. Nanofibril structures are formed on the cell walls (Inset). The split of crystal lamellae induced by the bubble formation at the crystal phase resulted in the formation of such nanofibrils.

2. Environmentally-benign Electroless Plating

The conventional electroless plating on plastic resins requires the use of strong acid and a large amount of water to impregnate the plastic with catalyst. We have been developing a new environmentally-benign electroless plating process using supercritical CO_2 that dissolves the precursor of catalyst and plasticizes the resin. Recently we succeeded in the electroless plating on strongly hydrophobic polypropylene by blending it with a hydrophilic copolymer (Fig. 2).



•

....

....

....

•••

•••

•

•

•••

•••

•••

•

•

•

•

•••

•

•••

•

•••

•••

•

•••

....

....

...

....

•••

••

Fig. 2. Schematic diagram and TEM image of electroless plated PP blended with hydrophilic copolymer.

図 2. 親水性共重合体を混練した PP への無電解めっき膜の模式図と TEM 写真

3. Nanofibers by Electrospinning

Electrospinning is a simple method for producing polymer nanofibers by applying a high voltage to the polymer solution. We have been studying on the fabrication of nanofibers with core-shell or porous structure. Fig. 3 shows SEM image of porous carbon nanofibers prepared from PVA. The unique pore structure was formed derived from salt particles generated by the decomposition of surfactant during carbonization process. The application of the porous nanofibers as electrodes of electric double layer capacitor is being studied.



Fig. 3. SEM image of porous carbon nanofibers from PVA. 図 3. PVA より作製した多孔質カーボンファイバーの SEM 写真 (a) 全体図, (b) 断面図

4. Nondestructive Measurement of Polymer Property

We developed a new application of near-infrared (NIR) spectroscopy for the quality control of polylactide (PLA). Fig. 4 (a) shows NIR spectra of PLA film with different water content and crystallinity. For the estimation of water content in PLA, the partial least squares (PLS) regression models were derived from NIR spectra (Fig. 4(b)).



- Fig. 4. (a) NIR spectra of PLA films with different conditions.(b) Correlation between experimental water contents and estimated values by the PLS model
- 図 4. (a) 含水率,結晶化度の異なるポリ乳酸の NIR スペ クトルと(b)含水率の推定モデル

プロセスシステム工学分野



教授 長谷部 伸治

Prof. S. Hasebe hasebe@cheme.kyoto-u.ac.jp



助教 殿村修 Assist. Prof. O. Tonomura tonomura@cheme.kyotou.ac.jp



助教 金 尚弘

Assist. Prof. S. Kim kim@cheme.kyoto-u.ac.jp

環境問題など複雑で困難な問題を抱える社会 情勢の中で,国際競争力のある高付加価値製品 の生産を省資源・省エネルギー化と同時に実現で きる生産システムの実現が望まれている。そのよう な革新的な生産システムを実現するための方法論, より具体的には,生産システムの設計や運転を合 理的に行うための方法論を研究する学問体系が 「プロセスシステム工学」である。

本研究室は、プロセスシステム工学の発展を図ると同時に、この分野における人材の育成と研究 成果の実社会へのフィードバックを通して、我が国 の産業の発展に寄与することを目指している。

1. マイクロ化学プロセスの設計・計測・制御

μmスケールの微小空間を利用して効率的な化 学合成を可能にするマイクロ化学プロセス(MCP) は、革新的物質生産方式として脚光を浴びている。 MCPの実用化に向けて、本研究室では、MCPの 設計・計測・制御に必要な基盤技術を開発してい る。例えば、物理化学的な現象のモデリング・シミ ュレーション技術と最適化手法を組み合わせた装 置構造・形状・寸法設計、カルマンフィルタを利用 した運転監視と制御、閉塞診断機能を備えた分配 器による生産量増大、の研究開発と開発技術の普 及活動を進めている。また、混相流や複雑な二次 流を伴うマイクロリアクタの実験的理解とCFDシミュ レーション、効率的な解析や設計のためのモデル 低次元化に取り組んでいる。

2. プロセス合成法およびサプライチェーン管理シ ステムの開発

スーパーストラクチャーを利用してプロセス合成 問題を定式化し,最適な構造を導出するシステム の開発を行っている。応用例として,利用可能な バイオマスの供給地と種類や量,利用可能な要素 技術から,最適なバイオマス利用プロセスを導出 するシステムの開発や,熱交換や圧力の最適化を 駆使した省エネルギー型蒸留分離プロセスの合 成法を開発している。

生産計画とスケジューリングのシームレス化を阻 む主な要因は、問題に潜む様々な不確定性と計 画の階層ごとのモデルの整合性の欠如である。こ のような点をふまえ、需要や歩留まりの不確定性を 考慮した生産計画システムの開発や、様々な詳細 度のモデルを組み合わせて用いることのできる、 サプライチェーン管理システムを開発している。

3. 操業データを活用するプロセス監視・制御およ び製品品質改善

化学・製薬など様々な産業分野を対象に,製品 品質の管理や改善あるいは運転効率化に役立つ 情報を,生産プロセスの操業データから巧妙に抽 出するデータ解析技術やその技術に基づくプロセ ス監視・制御・品質改善システムを開発している。 例として,メンテナンスフリーを目指す適応型仮想 計測システムの設計法,製薬向け Process Analytical Technologyの開発などを行っている。

Process Control & Process Systems Engineering

Professor Shinji Hasebe Assist. Professor Osamu Tonomura Assist. Professor Sanghong Kim

Under the current social situation which has a lot of complicated and difficult problems, such as an environmental problem, development of an advanced production system producing a competitive product with saving resources and energy is desired. Process Systems Engineering (PSE) is a research area where the systematic methodology for realizing such an innovative production system is investigated. PSE covers all aspects of design, operation, control, planning, and logistics for the process industries. Current research topics are as follows:

1. Development of a fundamental approach to design, operation, and control of micro chemical processes

In microspaces, viscous force, surface tension, conduction heat transfer, and molecular diffusion become dominant. These features achievable in microspaces make it possible to handle highly exothermic/endothermic and rapid reactions and to produce particles with narrow size distribution. The final goal of this research is development of a fundamental approach to design, operation, and control of micro chemical processes.

Computational fluid dynamics (CFD)-based design methods have been developed to derive the optimal channel structure, shape and size of microreactors. In addition, the data-based and model-based monitoring systems that can achieve the stable long-term operation of microplants with/without numbering-up structure have been developed and installed in pilot plants. In one of the developed systems, nonlinear filters such as unscented Kalman filter are used to estimate the immeasurable state variables in microchannels from the indirect measurement.

2. Process synthesis and development of supply chain management system

Process synthesis procedure which derives the optimal allocation of biomass processing processes and the network among the sites of suppliers, processing facilities and customers has been studied. The superstructure-based formulation is adopted to model the synthesis problem. The synthesis procedure of distillation processes has also been studied. In the research, the optimal structure which minimizes the energy consumption is derived taking many types of distillation columns into account. •

....

••

••

...

....

•••

•••

•••

•••

•••

•

•••

•••

•••

•

•••

•

•••

•

•

....

...

....

••

•

The uncertainties in the production and demand, and the absence of consistency of the models disrupt the unified modeling of supply chain management system. To overcome these problems, we aim to develop a production planning system which can treat variety of uncertainties and the multi-resolution SCM system which can easily combine different resolution models.

Data-based process monitoring, process control, and quality management

The data-based systems that can improve product quality and productivity by extracting useful information from operation data have been developed and applied to various industries including chemical, steel and pharmaceutical. The system is based on multivariate data analysis. The research topics include maintenance-free adaptive soft-sensor design, Just-In-Time statistical process control, model-free data-driven controller tuning E-FRIT, process analytical technology (PAT) for pharmaceutical processes, and so on.



- Fig. 1. Blockage diagnosis in parallelized microreactors (MRs): (a) an increase in the production capacity of a microplant by external numbering-up approach and (b) a result of blockage diagnosis by using the ratios of flowrate differences between normal and abnormal conditions at one sensor to those at the other sensor.
- 図1. 閉塞診断法の外部並列マイクロプロセスへの適用



Fig. 2. Application of E-FRIT to a petrochemical plant. 図2. E-FRITの石油化学プラントへの適用

環境プロセス工学講座



教授前 一廣

Prof. K. Mae kaz@cheme.kyoto-u.ac.jp



准教授 牧 泰輔

Assoc. Prof. T. Maki tmaki@cheme.kyoto-u.ac.jp



助教 長谷川 功

Assist. Prof. I. Hasegawa hasegawa@cheme.kyoto-u.ac.jp

資源制約,地球環境問題などの諸問題を克服 して安定した社会を維持するには,資源-エネル ギー-環境の活動連鎖システム(産業消費体系) を合理的に組み上げた環境調和型プロセッシング を確立するとともに,それを展開する人材の育成が 不可欠である。当講座では,環境調和型プロセッ シングのための新しい物質変換法の開発と工学の 体系化を目指し,以下の研究に重点をおいて実施 している。

1. バイオマスの新規転換法の開発

バイオマスを廃熱レベルのエネルギー投入で, 工業原料,水素,エネルギーを総合的かつ合理的 に製造するためのスキームについて,バイオマス 構造に立脚した新しい転換法開発という視点から, 以下の研究を推進している。

(a) バイオマスの各種前処理法の開発

- (b) 木質系バイオマスの新しい熱分解法の開発 (c) バイオマス熱分解・ガス化モデルと速度論
- (d) セルロースも高効率酸糖化法の開発
- (4) 已70日 不均同》的学级相位达9月用先
- (e) バイオマスからの各種モノマー製造法の開発

2. 環境浄化剤の開発

リン,フッ酸,硫黄化合物,硝酸性窒素などの有 害物質を低温で分解・除去するための各種高性能 触媒の開発,環境浄化用分離膜に関する基礎的 な研究を実施している。また、メタンの改質反応, 低温COシフト反応に関する触媒および高性能リア クターの開発に関しても検討を実施している。

- (a) 多孔質FeOOH吸着材の開発と, リン, フッ酸等の陰イオン吸着/回収システムへの応用
- (b) CO低温酸化触媒, 低温シフト改質触媒の開発

(c) マイクロリアクターを用いた二元系触媒の構造 制御

3. 環境調和型プロセッシングの開発

現在の各産業において,廃棄物を単に処理す るという既往の環境浄化技術を打破して,廃熱のも つエネルギーを廃棄物に投入して高品位な化学 ポテンシャルを有する資源に変換するという発想 に基づく新規転換法の開発に取り組んでいる。一 方,技術に連動した新しい環境評価法についても 検討し,各産業内,各産業間での環境調和プロセ ススキームを検討している。

4. マイクロリアクターの開発とマイクロ化学工学の 基礎研究

プロダクトエンジニアリングの基盤技術の構築と それに基づく高機能材料の創製を目指し,数十 μm~数百μmのマイクロチャンネルを有する新規な 反応器を開発とそれを用いた新しい反応操作法に 取り組んでいる。

- (a) 各種マイクロミキサー, リアクターおよびマイクロ 反応器システムの開発と反応設計・操作論
- (b) 各種マイクロリアクターによるナノ粒子の製造
- (c) 触媒担持コンパクト改質器の開発
- (d) マイクロリアクターによる高分子の厳密制御法 の開発
- (e) 液液迅速抽出デバイスの開発
- (f) 気液マイクロリアクターの開発
- (g) マイクロ蒸留操作の検討

Environmental Process Engineering

Professor Kazuhiro Mae Assoc. Professor Taisuke Maki Assist. Professor Isao Hasegawa

The research in this chair is focused on the development of environmentally benign technology based on several new conversion methods. The current research activities cover the following topics.

1. Development of new biomass conversion methods

Biomass is a promising resource as a highly condensed energy media of solar energy. From this viewpoint, several new methods are developed to recover chemicals, hydrogen, and energy from biomass by supplying waste heat based on the knowledge of biomass structure.

- (a) Pretreatment of biomass under mild conditions for separation into
- (b) New pyrolysis method for wood biomass.
- (c) Kinetic model of biomass pyrolysis and gasification.
- (d) Efficient acid saccharification of cellulose
- (e) Production of monomer materials from biomass through selective oxidation.

2. Development of new environmental catalysts

The harmful pollutants must be destructed completely. Several new catalysts are developed to remove efficiently the pollutants. In addition, the catalysts and reactor systems for methane reforming and CO shift reaction are developed.

- (a) Production of porous FeOOH and its application for the removal and recovery system of F^- and $PO_4{}^{3-}$ ions.
- (b) Development of new catalysts for CO shift reaction at low temperatures.
- (c) Methodology for strict structural control of catalyst using a microreactor.

3. Design of ecological industry

As s new concept for ecological processing is proposed, co-production scheme of energy and materials using waste heat and materials is investigated. On the other hand, a new evaluation method for environmental impacts associated with technology is presented; the possibility of ecological industry network is investigated.



Fig.1. Research strategy for efficient biomass utilization biomass.

•

•

図1. バイオマスの高効率利用を考えた研究スキーム

4. Development of various micro reactors -Basic research of micro chemical engineering-

Novel devices available for product engineering are required to produce valuable materials with low CO_2 emission. Various micro reactors with new concepts are proposed and their performances are investigated as follows:

- (a) Development of various micromixers and microreactors and basic research for micro reactor system. (Collaboration by several Kozas)
- (b) Production of nano-particle by several micro reactors.
- (c) Development of compact reformer for fuel cell.
- (d) Production methodology for polymer having strict structure production using microreactor.
- (e) Development of micro device for rapid liquidliquid extraction
- (f) Developments of gas-liquid microreactor.
- (g) Development of micro distillation device.



- Fig.2. Original microreactors developed in our laboratory and nano-particles produced by use of these reactors.
- 図2. 当研究室で開発してきたマイクロリアクター群。それを用いてナノ顔料などの製造に成功

粒子工学分野 教授 な坂 修二 Prof. S. Matsusaka matsu@cheme.kyoto-u.ac.jp

当分野では,粉体プロセスに係わる諸現象の解 明と新しい粉体操作法の開発を目指して研究を行 っている。微粉体は,様々な工業分野で利用され ているが,粒子の挙動は極めて複雑であり,条件 によって異なるので,微粒子の高度利用および環 境保全の観点から,これらの解明が望まれる。特 に,気相中における微粒子ハンドリングでは,粒子 の運動解析および付着と帯電を含めた粉体の特 性評価が重要である。現在の研究テーマは以下 の通りである。

1. 粒子の帯電の基礎と応用

粒子の接触帯電は,機械的な操作に伴って生 じる基礎的な現象であり,静電気力は粒子の挙動 に大きく影響するので,帯電の制御は非常に重要 である。また,電子写真,乾式粉体塗装,静電分 離などのように,帯電粒子を有効に利用した技術 の開発も行われている。静電気力を用いると,粒 子の分散,凝集,搬送などの操作を遠隔で行える ので,新たな技術展開が可能になる。ただし,これ らを実現するには,粒子の帯電機構,帯電量分布 の制御,帯電粒子の運動制御,粒子と電荷のオン ライン計測の正しい理解が必要である。

- (1) 固気二相流における粒子の摩擦帯電の解明
- (2) 振動場における粒子の摩擦帯電の解析
- (3)時間的空間的変化を伴う電界を利用した帯電微粒子の運動制御
- (4) 遠心接触式粒子帯電制御法の開発と応用
- (5) 高精度帯電量分布測定システムの開発

2. 粒子の付着および流動性の評価

粒子-粒子間, 粒子-壁間相互作用力は, 粉 体操作に直接影響を及ぼす重要な因子であり, 一次粒子および凝集粒子の付着特性の合理的な 測定法および摩擦を含めた流動性評価法の開発 が必要である。

(1) 各種複合場における付着強度分布の解析

(2) 流動性プロファイルの解析

3. サブミクロン粒子およびナノ粒子のハンドリング

製品の高機能化のために、サブミクロン粒子お よびナノ粒子の需要は増加しているが、粒子の微 小化に伴って付着性は非常に強くなるので、粉体 操作は極めて難しい。特に、1ミクロン以下の微粒 子の乾式粉体操作法の開発が遅れており、微粉 体の流動解析とともに、新たな機構を取り入れた 装置の開発が急務である。

- (1) 多重振動を用いた微粒子の運動制御
- (2) 振動対流機構を用いた流動層の開発
- (3) 振動剪断流動を利用したナノ粒子の精密定量 供給法の開発
- (4) ナノ粒子用空気輸送システムの開発



- 図 1. 気流法による2成分電磁粒子の付着強度分布測 定(粒子は壁面に垂直に立ち並ぶ)
- Fig. 1. Measurement of adhesive strength distribution of two-component electro-magnetic particles by air flow method (particles are aligned in chains perpendicular to wall surface).

Particle Technology

Professor Shuji Matsusaka

Our research is focused on analyzing the phenomena that occur during powder processes and on developing new handling methods for powders. Although fine particles are widely used in various industrial fields, their behavior is complicated and varies according to the conditions used; thus, a full understanding is needed from the viewpoints of the advanced applications of fine particles as well as environmental protection. In particular, the analysis of the dynamic behavior of particles and the evaluation of powder properties such as particle adhesion and electrification are important for fine-particle handling in gases. Current research topics are as follows:

1. Fundamentals and applications of particle electrification

The contact electrification of particles is a fundamental phenomenon that occurs during powder handling processes, and the electrostatic forces acting on particles significantly affect particle behavior; thus, the control of particle charging is important for powder handling operations. In fact, applications for charged particles have been widely developed, e.g., electro-photography, dry powder coating, and electrostatic separation. As operations such as dispersion, agglomeration, and particle transport can be remotely controlled bv electrostatic forces, further technological innovations are expected in this direction. To realize the full potential of the existing technology, an indepth understanding of particle charging, charge distribution control, particle movement control, and relevant online measurement techniques is needed.

- 1. Study on triboelectric charging of particles in gas-solid two phase flow.
- 2. Analysis of triboelectric charging of particles in a vibration field.
- 3. Control of the movement of charged fine particles in electric fields with spatial and temporal variation.
- 4. Development of a particle charge controller using centrifugal force and its application.
- 5. Development of a high-accuracy measurement system for charge distribution of fine particles.

2. Evaluation of adhesion and flowability of particles

Particle-particle and particle-wall interaction

forces are important factors that directly affect powder handling, and appropriate methods need to be developed for measuring the adhesive property between primary particles or agglomerated particles and for evaluating the flowability of particles.

•

•

•

•

•

•

•

•

•

•

•

•

- 1. Analysis of adhesive strength distributions of particles subjected to various external forces.
- 2. Analysis of flowability profiles.

3. Handling of submicron- and nanoparticles

The demand for submicron- and nanoparticles is growing on account of the need to produce highly functional products. However, their adhesiveness increases with decreasing particle diameter, and as a result, powder handling becomes more complex for small particle diameters. In particular, for particles having a diameter of less than 1 m, the complications due to adhesiveness are pronounced and it is therefore imperative to develop new techniques as well as analyze particle behavior for overcoming these issues.

- 1. Control of the movement of fine particles using multiple vibration modes.
- 2. Development of a novel fluidized bed system using vibration convection mechanism.
- 3. Development of micro-feeding of nanoparticles based on vibration shear flow.
- 4. Development of a pneumatic transport system for nanoparticles.



- Fig. 2. Multilayered structure of bubbles generated in a fine powder bed oscillating horizontally with small amplitude.
- 図 2. 微小水平振動に伴う微粉体層内の気泡群の形成



- Fig. 3. Micro-feeding of nanoparticles based on vibration shear flow.
- 図 3. 振動剪断流動を利用したナノ粒子の精密定量供給

環境安全工学講座

環境科学センター



准教授 中川 浩行

Assoc. Prof. H. Nakagawa hiroyuki@cheme.kyoto-u.ac.jp

当講座は,化学工学専攻の協力講座として,環 境と安全ために必要な技術を化学工学的な視点 から開発している。

1. 難分解性有機物の効率的な分解処理

生分解性に乏しい難分解性有機物は、環境中 に排出されると汚染物質として問題となる場合が 多い。廃水中の難分解性有機物について、紫外 線照射や触媒、電気化学反応を利用して室温付 近で効率的に酸化分解し、無害化する技術の開 発を行っている。

2. 活性ラジカル種を用いたVOCの酸化分解

揮発性有機化合物(VOC)は、大気中で光化学 オキシダントに転換され、大気汚染物質となってい る。非平衡プラズマ放電で発生する活性ラジカル 種と固体触媒を用いて、室温でVOCを酸化分解 する技術の開発を行っている。

3. 固体廃棄物の有効利用

固体廃棄物は通常安定な形で固定化し、埋立 処分されているが、近年処分場が不足しており、 なるべく廃棄物の排出量を減らしていく必要があ る。フェライト廃棄物は、重金属類を含む無機廃水 の処理によって発生する廃棄物であり、フェライト 中に重金属類が固定化されている。この重金属類 を触媒として、種々の環境浄化触媒への応用を研 究している。

Environment and Safety Engineering

Assoc. Professor Hiroyuki Nakagawa

The research in this koza is focused on the development of the technology for environmental preservation and safety life from the viewpoint of chemical engineering.

1. Treatment of persistent organic compounds

Non-biodegradable organic compounds are likely to cause serious environmental problems when they are released to the environment since the degradation rate of them is generally rather slow. We have developed the technology to decompose non-degradable organic compounds utilizing UV irradiation, catalyst, and electrochemical reactions.

2. Oxidative decomposition of VOC by active radicals formed from non-thermal plasma

Volatile organic compounds are converted to photochemical oxidants, which are air pollutants. VOCs are destructed by solid catalysts and active radicals formed from non-thermal plasma discharge at room temperature.

3. Utilization of solid wastes

The amount of solid wastes has to be reduced since the capacity of landfill sites is limited. Ferrite wastes generated by the treatment of inorganic wastewater contain heavy metals such as Ni that can be utilized as catalyst. They are applied to the environmental catalysts.



図1. 磁性をもつフェライト廃棄物

Fig. 1. Ferrite waste is soft magnetic material. It can be easy separated from water by magnets after utilizing as catalyst for water treatment.



INVITED LECTURERS

大学院科目



ウィワット タンタパニチャクン 東京工業大学 大学院理工学研究科 化学工学専攻 教授 先端物質化学工学

Graduate classes

Wiwut Tanthapanichakoon

Professor, Department of Chemical Engineering, Graduate School of Science & Engineering, Tokyo Institute of Technology Chemical Engineering for Advanced Materials

学部科目



馬場 一嘉

株式会社ダイセル 姫路技術本社 生産技術室 兼 生産技術室生産 革新センター プロセス設計

Undergraduate classes

Kazuyoshi Baba Senior Manager, Production Technology Management, Daicel Corporation Process Design



技術職員

TECHNICAL STAFF



名村 和平 技術部環境·安全·衛生技術室

Kazuhei Namura Technical Office, Faculty of Engineering







カリキュラム

工学部工業化学科 **化学プロセス工学コース**

工学研究科 **化学工学専攻**

学部課程プログラム

1回生 (工業化学科) 工業化学概論 情報基礎 (工学部) 情報基礎演習 (工学部) 工学序論 基礎物理化学A, B 基礎有機化学A, B 自然現象と数学 微分積分学A, B 線形代数学A, B 物理学実験 物理学基礎論A, B

2回生(工業化学科)

物理化学基礎及び演習 有機化学基礎及び演習 基礎無機化学 化学プロセス工学基礎 微分積分学続論A,B 熱力学 振動・波動論 力学続論 解析力学 2回生(化学プロセス工学コース)

物理化学I(化学工学) 無機化学I(化学工学) 基礎流体力学 化学工学数学I(化学工学) 化学工学計算機演習 反応工学I

3回生(化学プロセス工学コース)

移動現象 流体系分離工学 プロセス制御工学 物理化学II, III (化学工学) 化学工学数学II 計算化学工学 化学工学実験I, II (化学工学) 環境保全概論 反応工学II 固相系分離工学 微粒子工学 プロセスシステム工学 化学工学シミュレーション 生物化学工学 環境安全化学 有機工業化学 科学英語 (化学工学)

4回生(化学プロセス工学コース) 化学実験の安全指針 プロセス設計 工学倫理 GLセミナーI, II(課題解決演習) 特別研究 修士課程プログラム

*移動現象特論 *分離操作特論 *反応工学特論 *プロセスシステム論 *プロセスデータ解析学 *微粒子工学特論 *界面制御工学 *化学材料プロセス工学 *環境システム工学 *化学技術英語特論 プロセス設計 化学工学特論第一,二,三,四 *研究インターンシップ(化学工学) *化学工学セミナー 先端物質化学工学 [英語授業] 化学工学特別実験及び演習 I, II, III, IV *先端マテリアルサイエンス通論 *現代科学技術特論 *先端科学機器分析及び実習 I, II *現代科学技術の巨人セミナー 「知のひらめき」 研究論文(修士)

博士課程前後期連携プログ

ラム(高度工学コース 5年型, 4年型) 修士課程科目に加え *化学工学特別セミナー1~7 *研究論文(博士)

博士後期課程プログラム (高度工学コース3年型) 上の一覧中の*印を付した科目

CURRICULUM

Undergraduate Course Program of Chemical Process Engineering Undergraduate School of Industrial Chemistry Faculty of Engineering

Department of Chemical Engineering Graduate School of Engineering

Undergraduate Program

First year (Undergraduate School of Industrial Chemistry) Introduction to Industrial Chemistry Information Processing Basics (Engineering) Exercises in Information Processing Basics (Engineering) Introduction to Engineering Basic Physical Chemistry A, B Basic Organic Chemistry A, B Mathematical Description of Natural Phenomena Calculus A, B Linear Algebra A, B Elementary Course of Experimental Physics Fundamental Physics A, B Fundamental Chemical Experiments

Second year (UG School of Industrial Chemistry) Physical Chemistry: Fundamentals and Exercises Exercises in Basic Organic Chemistry Basic Inorganic Chemistry Fundamentals of Chemical Process Engineering Advanced Calculus A, B Thermodynamics Physics of Wave and Oscillation Advanced Dynamics Analytic Dynamics

Second year (Chemical Process Engineering Course) Physical Chemistry I (ChE) Inorganic Chemistry I (ChE) Fundamental Fluid Mechanics Mathematics for Chemical Engineering I (ChE) Computer Programming in Chemical Engineering Chemical Reaction Engineering I

Third year (Chemical Process Engineering Course) Transport Phenomena Fluid-Phase Separation Engineering Process Control Physical Chemistry II, III (ChE) Mathematics for Chemical Engineering II Numerical Computation for Chemical Engineering Chemical Engineering Laboratory I, II (ChE) Introduction to Environment Preservation Chemical Reaction Engineering II Solid-Phase Separation Engineering Fine Particle Technology Process Systems Engineering Simulations in Chemical Engineering Biochemical Engineering Chemistry and Environmental Safety Industrial Organic Chemistry Practical English in Science and Technology (ChE)

Fourth year (Chemical Process Engineering Course) Safety in Chemistry Laboratory Process Design Engineering Ethics Global Leadership Seminar I, II Graduation Research Work (Thesis Project)

Graduate Programs

Master's program (2 years)

- *Special Topics in Transport Phenomena
- *Separation Process Engineering, Adv.
- *Chemical Reaction Engineering, Adv.
- *Advanced Process Systems Engineering
- *Process Data Analysis
- *Fine Particle Technology, Adv.
- *Surface Control Engineering
- *Engineering for Chemical Materials Processing
- *Environmental System Engineering
- *Special Topics in English for Chemical Engineering Process Design
- Special Topics in Chemical Engineering I IV
- *Research Internship in Chemical Engineering
- *Seminar in Chemical Engineering Chemical Engineering for Advanced Materials Research in Chemical Engineering I – IV
- *Introduction to Advanced Material Science and Technology
- *Advanced Modern Science Technology
- *Instrumental Analysis, Adv. I, II
- *Frontiers in Modern Science & Technology Research Work (Master Thesis)

Integrated Master's-Doctoral Program (5-year or 4-year programs of Advanced Engineering Course)

The subjects offered in the master's program and

- *Special Seminar in Chemical Engineering 1–7
- *Research Work (Doctor Thesis)

Doctoral Program (3-year program of Advanced Engineering Course)

The classes offered in the doctoral program are shared with the other programs and are highlighted by asterisks * in the lists above.

学生の進路

CAREER OPTIONS

過去5年間の修士課程修了者の進路を業種 別に図に示す。化学系を中心に、電気、機械系 と広い産業分野で卒業生が必要とされているこ とがわかる。2013年度大学院修了者の進路は以 下のとおりである。

出光興産(2名), 宇部興産, 大塚製薬, 花王, 川崎重工業, 神戸製鋼, サントリー, JR西日本, JFEエンジニアリング, JFEケミカル, JFEスチー ル, 昭和電工(2名), 信越化学工業, 新日鐵住 金, 住友化学, 住友ベークライト, 積水化学工業, ダイセル, 東レ, トヨタ自動車, 日本化薬, 野村 総合研究所, ブリヂストン, 古河電工, 三井化学, 三菱化学(2名), 三菱レイヨン, リクルート住まい カンパニー

学部卒業者の大部分は修士課程に進学し、 10名が、IHI、NTTコミュニケーションズ、オプト、 川崎汽船、三洋化成、林原、Booz & Company、 マツダ、丸善石油化学、リンナイに就職した。 The pie chart shows distribution of companies and organizations which the new graduates of the Department entered these 5 years. In April 2014, the graduates found jobs at Bridgestone, Daicel, Furukawa Electric, Idemitsu Kosan (2), JFE Chemical, JFE Engineering, JFE Steel, Kao, Kawasaki Heavy Industries, Kobe Steel, Mitsubishi Chemical (2), Mitsubishi Rayon, Mitsui Chemicals (2), Nippon Kayaku, Nippon Steel and Sumitomo Metal, Nomura Research Institute, Otsuka Pharmaceutical, Recruit Sumai Company, Sekisui Chemical, Shin-Etsu Chemical, Showa Denko(2), Sumitomo Bakelite, Sumitomo Chemical, Suntory, Toray Industries, Toyota Motor, Ube Industries, and West Japan Railway.







- - - - - - 学部課程,修士課程,博士後期課程入学者数の推移 Number of first-year students of undergraduate and graduate programs by year.

国際交流

国際化・グローバリズムの中で、本専攻でも世界 各国からの研究者や留学生を受け入れ、教育・研 究に努めるとともに、国際社会に本専攻における 研究成果を発信し続けている。下図は、過去10年 間に本専攻に滞在した留学生・外国人研究者の 出身地別の人数の推移を示している。約過半数を 占めるアジアとの交流はもちろん、欧州や北南米 との交流も盛んである。

国際交流の具体例として,専攻としての以下の 活動を行っている。

- 1. 世界各国から学生を博士,修士課程に受け 入れて研究指導し,学位取得を支援している。
- 2. 世界各国から優秀な研究者や教員を採用し、 本専攻で研究教育活動に寄与させている。
- 若手教員,博士課程学生,修士課程学生の 国際会議参加,調査渡航等に助成している。
- 海外の大学等との学生交流協定に基づいて、 当教室の大学院学生の短期外国研修を行なう とともに、海外学生の日本企業でのインターンシップ研修を実施している。

海外から本専攻で修士・博士の学位をとるため には、修士・博士課程の入学試験に合格する必要 がある。入学試験は8月と2月に行なわれる。

4の活動の最も代表的な例は,ドイツ国ドルトム ント大学とのインターンシッププログラムである。毎 年夏休みの2ヶ月間,教室から修士学生6名をドイ ツに派遣し、ドイツの企業でインターンシップ研修 を実施する。また、秋にはドルトムント大学の生物・ 化学工学専攻の学生を6名日本に受け入れ、日 本の企業で2ヶ月間のインターンシップ研修を実 施している。両大学の学生たちは、研修中に両国 の文化の違いも含めて、何を学んできたかを英語 で討論する。2010年度からは、独立行政法人日本 学生支援機構の留学生交流支援制度(ショートス テイ、ショートビジット)のプログラムに採択されてお り、両大学学生1名につき月8万円の奨学金が支 給され、経済的支援を充実した形で本インターン シップを実施している。

日本国政府の依頼を受けて,エジプトのアレキ サンドリアに少数精鋭の国立大学(エジプト-日本 科学技術大学E-JUST)を創設する支援活動に 2010年度から参画している。本専攻教員が中核と なって,E-JUST化学・石油化学専攻の運営・教育 を支援している。派遣している吉元健治准教授は 滞日時は本専攻で活動している。E-JUSTの他に も、チュラロンコン大学(タイ)、ウォータールー大学 (カナダ)などに教員が赴き、授業や研究指導を行 なうなど、世界の大学と緊密な協力関係を保って おり、随時、学生の派遣、受け入れも行っている。

部局間学術交流協定締結大学について http://www.kyoto-u.ac.jp/ja/research/ international/agreement/

国際インターンシッププログラムについて http://www.ch.t.kyoto-u.ac.jp/ja/information/ internship

E-JUSTについて





海外からの長期滞在研究者数・留学生数の推移 Number of foreign researchers and students by nationality.

INTERNATIONAL ACTIVITIES

The Department is welcoming visiting researchers as well as admitting undergraduate, graduate, and research students from all over the world.

The Faculty of Engineering and Graduate School of Engineering currently have scientific exchange agreements in place with a total of 27 universities in 14 countries around the world. To promote mutual cooperation in scientific research, these agreements facilitate measures that encourage joint research implementation, exchanges of students, researchers and academic staff, and exchanges of scientific information. Especially, under inter-departmental student exchange agreements, the students who come from the 12 oversea partner universities can participate in the research activities and classes in our department with tuition fee exemptions. The details can be seen at the URL shown at the end.

Kyoto University currently has scientific exchange agreements in place with a total of 92 universities, 4 university groups, and an institute in 31 countries.

One of the major international exchange activities of the Department is the international internship program between our Department and Technical University of Dortmund in Germany. This program was established in 1990 and it has been lasting more than 20 years. Every year, we send six Japanese students to Germany at the end of July. They are dispatched to several German companies or institutes and granted an opportunity of experiencing two-month internship. In return, we welcome six German students in October and assign the two-month internship in a Japanese industrial company to each student. In the year 2012, the internship program was supported by four German companies (Bayer Schering Pharma



Photo: A Japanese intern student at Bayer Schering Pharma in Germany. A picture of her appeared in a local newspaper.



Photos: Scenes of exchanging culture and opinion through the internship program.

AG, Bayer Material Science AG, Evonik Industries AG, BASF), and six Japanese companies (Furukawa Electric Co., Ltd., Kuraray Co., Ltd., Sekisui Plastics Co., Ltd., Sumitomo Bakelite Co. Ltd., Mitsubishi Rayon Co. Ltd., and Nippon Steel Co. Ltd.). We would like to appreciate the company in both countries who support this program and give the opportunity the young prospecting students to learn the business and culture.

The newest activity in our department is the Egypt-Japan University of Science and Technology (E-JUST), which is the new university in Alexandria, Egypt, built as the product of a long standing partnership between Egyptian and Japanese governments. Our department fully supports their education and operation of the Department of Chemical and Petrochemical Engineering, School of Energy, Chemical and Environmental Engineering as a Kyoto University's international activity. Associate Professor Kenji Yoshimoto is sent from Kyoto University to E-JUST. He works at our Department during his stay in Japan.

Overseas Partner Institutions: http://www.kyoto-u.ac.jp/en/research/ international/agreement/ International Internship Program: http://www.ch.t.kyoto-u.ac.jp/en/information/ internship E-JUST: http://www.ejust.edu.eg/

学際融合教育研究推進センター 日本-エジプト連携教育研究ユニット E-JUST アカデミック スタッフ



名誉教授

特定准教授 吉元 健治 Program-Specific Assoc. Prof. K. Yoshimoto yoshimoto1@cheme.kyoto-u.ac.jp Japan-Egypt Cooperative Education and Research Unit, Center for the Promotion of Interdisciplinary Education and Research

E-JUST Academic Staff

Assoc. Professor Kenji Yoshimoto



PROFESSORS EMERITI

		在任期間			Term of service
佐田 榮三	Eizo Sada	1977 – 1994	谷垣 昌敬	Masataka Tanigaki	1972 – 2006
岡崎 守男	Morio Okazaki	1965 — 1997	增田 弘昭	Hiroaki Masuda	1973 – 1979,
橋本 健治	Kenji Hashimoto	1963 — 1999			1989 – 2007
原田 誠	Makoto Harada	1964 — 1999	東谷 公	Ko Higashitani	1992 – 2008
橋本 伊織	lori Hashimoto	1972 – 2003	三浦 孝一	Kouichi Miura	1976 – 2013
荻野 文丸	Fumimaru Ogino	1968 – 2003			

人員構成

CONSTITUENT NUMBERS

	Num	pers as of 1 June 2014
教授	8	Professors
准教授	6	Associate professors
講師	1	Lecturer
助教	9	Assistant professors
非常勤講師	2	Invited lecturers
研究員	7	Postdocs and research staff
技術職員	1	Technical staff
事務職員	2	Administrative officials
非常勤職員	8	Part-time employees
大学院生(博士後期課程)	15	Graduate students (doctoral program)
大学院生 (修士課程)	74	Graduate students (master's program)
学部学生(4年次)	50	Undergraduate students (fourth year)
学部学生(3年次)	48	Undergraduate students (third year)
研究生	0	Research student

キャンパスマップ&アクセス(吉田キャンパス) Campus Map & Access (Yoshida Campus)

■京都駅(JR・近鉄)から

市バス(17系統)「河原町通錦林車庫」行き,または (206系統)「東山通北大路バスターミナル」行きで「百 万遍」へ

- ■今出川駅(地下鉄烏丸線)から 市バス(203系統)「銀閣寺道・錦林車庫」行き,または (201系統)「百万遍・祇園」行きで「百万遍」へ
- ■河原町駅(阪急)から 四条河原町から市バス(3, 17, 31, 201系統)で「百 万遍」へ
- ■出町柳駅(京阪)から 東へ徒歩20分

工業化学科事務室:工学部3号館(西館)

From the Kyoto Station (JR, Kintetsu)

Take a Kyoto City Bus #17 for "Kinrin Shako" or #206 for "Kitaoji Bus Terminal," and get off at "Hyakumanben."

- From the Imadegawa Station (Subway Karasuma Line) Take a Kyoto City Bus #203 for "Ginkakuji Michi, Kinrin Shako" or #201 for "Hyakumanben, Gion" and get off at "Hyakumanben."
- From the Kawaramachi Station (Hankyu) Take a Kyoto City Bus #3, #17, #31, or #201 and get off at "Hyakumanben."
- From the Demachiyanagi Station (Keihan) Walk eastwards for 20 min.

The School Office of Industrial Chemistry is located in the West Wing of the Faculty of Engineering Building No. 3.



キャンパスマップ&アクセス(桂キャンパス) Campus Map & Access (Katsura Campus) ■桂駅(阪急)から*

建築3

物理系

Cluster C

桂御陵坂 Y

Katsura Goryozaka

Int'tech Center

船井哲良記念講堂 Funai Tetsuro Auditorium

桂事務棟 Faculty office インテックセンター

桂駅西口から市バス(西6系統)または京阪京都交通 バス(20,20B,西6番)「桂坂中央」行きで「桂イノベー ションパーク前|へ

■桂川駅(JR)から

ヤサカバス「京大桂キャンパス経由桂坂中央」行き(6号) または京阪京都交通バス「京大桂桂坂中央」行き(22 番)で「桂イノベーションパーク前」へ

■京都駅(JR・近鉄)から

- (1)市営地下鉄で「四条」へ,阪急に乗り換え「烏 丸」から「桂」へ(桂駅からは上記 * を参照)
- (2) 京阪京都交通バス(21,21A番)「五条通 桂坂中 央|行きで「桂イノベーションパーク前|へ
- (3) 市バス(73系統)「洛西バスターミナル」行きで「国 道三宮」へ,国道9号線から
- 徒歩15分 ■高速道路から

京都縦貫道 大原 野IC, 沓掛ICが最 寄出口

From the Katsura Station (Hankyu) *

Take a Kyoto City Bus 西6 (nishi 6) or a Keihan Kyoto Kotsu Bus #20, #20B, or 西6 (nishi 6) for "Katsurazaka Chuo" and get off at "Katsura Innovation Park Mae."

From the Katsuragawa Station (JR)

Take a Yasaka Bus #6 or a Keihan Kyoto Kotsu Bus #22 for "Katsurazaka Chuo" and get off at "Katsura Innovation Park Mae."

From the Kyoto Station (JR, Kintetsu)

- Option 1. Go to "Shijo" by Subway, transfer to Hankyu at "Karasuma," and come to "Katsura." (From "Katsura" Station, see * above.)
- Option 2. Take a Keihan Kyoto Kotsu Bus #21 or #21A for "Katsurazaka Chuo" and get off at "Katsura Innovation Park Mae."
- Option 3. Take a Kyoto City Bus #73 for "Rakusai Bus Terminal," get off at "Kokudo San'nomiya" and walk for 15 min.

From expressways (Car)

The "Oharano" and "Kutsukake" Interchanges of the Kyoto Jukando Expressway are nearest to the Katsura Campus.

Cクラスター事務区 Cluster C school office

Cluster B

桂モニュメント(時計塔) Katsura Monument (Clock tower)

> 福利棟 Campus Service Center (Shop, cafe & restaurants)

> > 船井交流センター Funai Center (Gymnasium)

> > > P3

Mae

ローム記念館 Rohm Plaza

桂イノベーションパーク前

Katsura Innovation Park

京大桂キャンパス前 Kyodai Katsura Campus Mae

Cluster A

国道9号線 500 m to Route 9

Aクラスター事務区 Cluster A school office

各研究室: AクラスターA4棟 Most laboratories of the Department of Chemical Engineering are located in Building A4.

化学工学専攻

32

京都大学大学院工学研究科 化学工学専攻 教室パンフレット 2014 年度版

Kyoto University – Department of Chemical Engineering Department Brochure 2014

Copyright ©2014 京都大学大学院工学研究科 化学工学専攻		Copyright ©2014	Department of Chemical Engineering, Kyoto University	
2014年7月	1 日発行	Published date	July 1, 2014	
発行部数 	1200 部	Circulation	1200 copies	
発行	京都大学大学院工学研究科化学工学専攻	Publisher	Department of Chemical Engineering, Kyoto University	
製作	平成 26 年度 教科小委員会	Editorial Board	Curriculum Committee 2014	
編集長	松坂 修二	Editor in Chief	Shuji Matsusaka	
編集委員	山本 量一, 宮 原 稔, 河瀬 元明, 佐野 紀彰, 大嶋 正裕, 長谷部 伸治, 牧 泰 輔, 中川 浩行	Editors	Ryoichi Yamamoto, Minoru Miyahara, Motoaki Kawase, Noriaki Sano, Masahiro Ohshima, Shinji Hasebe, Taisuke Maki, Hiroyuki Nakagawa	
印刷・製本	株式会社 あおぞら印刷	Printer	Aozora Printing, Kyoto, Japan	



京都大学 Kyoto University

2014 大学院 工学研究科 化学工学専攻 Department of Chemical Engineering

Graduate School of Engineering

615-8510 京都市西京区京都大学桂

Katsura Campus, Kyoto 615-8510 Japan

http://www.ch.t.kyoto-u.ac.jp/ja